



BAJRANG
ENGINEERS

BVP SERIES : Watering Vacuum Pump



BVP SERIES



SPECIFICATION :

Capacity	Up to 1500M3/hr.
Power	5hp to 50 hp
Vacuum	720mm of hg
Temperature	Up to 110°C

APPLICATION :


- ✓ Chemical Industries
- ✓ Pharmaceuticals
- ✓ Sterilizing
- ✓ Distillation, Evaporation & drying
- ✓ Filtration Processes
- ✓ Dehydrates
- ✓ Conveying & Sucking

Features :

- ✓ Simple Construction
- ✓ High Capacity
- ✓ Trouble free operation
- ✓ Low maintainance

PERFORMANCE RANGE CHART

Model	Power HP	RPM	MAX. Capacity m3/hr	Water required LPM	Max. Vacuum mm of hg	Frame Size
BVP - 3	3	2880	49	7	710	90 L
BVP - 5	5	2880	81	9	710	100 L
BVP - 7	7.5	2880	123	14	710	112 M
BVP - 7.5	7.5	1440	175	16	710	132 S
BVP - 10	10	1440	210	20	710	160 M
BVP - 15	15	1440	330	30	710	160 L
BVP - 20	20	1440	440	40	710	200 L
BVP - 30	30	980	725	60	710	225 M
BVP - 40	40	980	1080	100	710	315 S
BVP - 65	65	720	1500	150	710	315 M
BVP - 90	90	720	2080	200	710	-



Manufacturing Unit

Domestic Network



ADDRESS :

📍 Shed No. 25, Shiv Industrial Estate,
B/H Vepari Mahamandal, Singarva,
Ahmedabad, Gujarat - 382430.

☎ + 91 88492 47727 / +91 76009 91355

✉ bajrangeng99@gmail.com

🌐 www.bajrangpumps.com

Main Brochure
QR CODE

